



NC-10K-E2-ASS

Calibration Weight - E2 class

Application

Weights intended for use in the verification or calibration of class F1 weights and for use with weighing instruments of special accuracy class I. Class E2 weights or weight sets shall be accompanied by a calibration certificate.

Can be used as a reference standard in calibrating other weights and is appropriate for calibrating high-precision analytical balances (number of counts between 100001 to 300000, $n = \text{max capacity} / d$).

Technical Specifications

Brand	NSTAR
Model	NC-10K-E2-ASS
Class	OIML E2
Material	Austenitic stainless steel (Density $8.00 \pm 0.03 \text{ g/cm}^3$)
Cavity	Monoblock construction, No adjustable cavity
Surface	Highly polished mirror finish, [Rz < 1, Ra < 0.2 (μm)]
Magnetic Properties	Maximum magnetic polarization, $\mu_0 M$, (μT) < 8
Contents of Weights	10 kg
Marking	No denomination marking on test weights
Standards	OIML R-111, 2004 (E)
Certificate	NABL accredited certificate - 1 year validity



Shape

Cylindrical knob

Denomination

10 kg

Dimensions

Storage Case	Aluminium storage case with accessories
Weight Box Size	18 x 18 x 24 cm (L x W x H)
Net Weight	11.5 kg
Number of Package	1
Gross Weight	15 kg
Package Data	23 x 23 x 30 cm (L x W x H)
External Packing	Corrugated boxes



* test weights and storage case are packed separately for logistics purpose.

* weight lifting accessories are optional.

Tolerance and Uncertainties

Denominations	Tolerance# (mg)	Uncertainty* (mg)
10 kg	16	1.66

Maximum Permissible Errors (MPE) as per OIML R-111

* Accredited CMC of Precimass LLP (CC-3213)

NSTAR Corp is offering assured 1/3rd uncertainty to the MPE for OIML E2 class weights.

India

NSTAR CORP
34, Pelican Estate,
Road No. 5, Kathwada GIDC,
Kathwada, Ahmedabad - 382430,
Gujarat



www.calibrationweights.in



+91 7567 222 900



sales@calibrationweights.in